Thermally Fused Laminate Door Notes

Thermally Fused Laminate Door Features

Door Style - **Fremont**

Slab panel door with matching drawer front

Door Description:
Melamine slab door laminated two sides with a decorative paper overlay applied to an engineered core. The thermally fused laminated surface offers excellent scratch resistance. Standard grain orientation is vertical on doors and drawers. Not grain matched. Custom charges apply for vertical grain matching.

Features:

Face:	Melamine
Back:	Matching Melamine
Thickness:	5/8"

Standard Door Edgeband: Matching 0.5mm PVC

Related Cabinet Design Specifications and Limitations

Standard Case Tape:
0.5mm PVC will be applied to the case and adjustable shelves with factory option match. Accepted industry standards, and our best efforts, will be used to match colors and patterns to the door face. *If a specific case tape is required, please specify.*

Standard Open Interior:
Case and adjustable shelves are made with 5/8" two-sided melamine that matches the door face. Case exterior surface is the same melamine color as the door face.

Standard Integrated Finished End:
Exposed exterior cabinet side panel has thermally fused color decorative paper that matches the door. Interior side of integrated finished end is color matched to case interior.

Optional Finished End:
Door or panel - sold separately. Install on job-site.

Standard Accessories:
Plywood core is unavailable.

Panels: 5/8" matching two-sided melamine.

Fillers: Minimum width 2-7/8", maximum height 96".

Valance:
5/8" Melamine

Standard Base Kick:

BKL: High pressure laminate.

BKLM: Laminate applied to 1/8" backer.

Optional Base Kick: Customer to specify

Specialty Cabinets:
- Appliance garage units are available with matching HPL tambour door slats.
- Plywood core is unavailable.

Standard Microwave Cabinet:
Cabinet is constructed with two sided melamine that matches door face.

© HERTCO Kitchens LLC

Thermally Fused Laminate Door Specifications

Door Style - **Fremont**

Trytoo Savatre

Aimtoo Savatre

Cherry

Chocolate Pear

Maple

White

Door Description:

Melamine slab door made with thermally fused decorative paper laminated on a 5/8" engineered core. The decorative paper is bonded with the substrate to produce a durable scratch resistant surface. All sides of door are sealed with matching edgeband. Our standard collection includes six of the most popular choices.

Horizontal grain is available, but limited to 47" high.

Submit door page with order. Select the appropriate boxes.

Color Options	
☐	Aimtoo Savatre Matching Melamine Back
☐	Cherry Matching Melamine Back
☐	Chocolate Pear Matching Melamine Back
☐	Maple Matching Melamine Back
☐	Trytoo Savatre Matching Melamine Back
☐	White Matching Melamine Back

Door Grain Direction Options	
☐	Vertical Grain
☐	Horizontal Grain *Height limitations apply.*

Edge	
0.5mm PVC Edge Factory Match	

Drawer Grain Direction Options	
☐	Vertical Grain - not matched
☐	Horizontal Grain - not matched
☐	Vertical Grain - matched door and drawer grain. *Custom charges apply. See Door Style Factor page 139*

Glass Option for Doors	
Single pane glass not included Mullions not available	
☐	2-1/4" Frame for Glass Radius inside corner

The area routed for glass, as seen from the back of the door, is unfinished particleboard.

Note: Images may not be true color representation of actual color.

Warranty:
A twist or warp up to 5/32" shall not be considered a defect for warranty replacement. Door sizes have a tolerance of ± 1/32".

Door sizes within warranty:
Up to 21" wide and/or 34-5/8" high. Cabinets with larger door area will be made as multi-doors and may be pinned to open as one door.